

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listing, of claims in the application:

**Listing of Claims:**

Claim 1. (Currently amended) A barrier movement operator comprising:  
an A.C. induction motor coupled to the barrier for controlling the movement of the barrier;  
a source of mains A.C. operating voltage comprising a frequency;  
a motor control apparatus connected to the main operating voltage and the induction motor and responsive to power control signals from a controller for varying the effective frequency of the mains operating voltage coupled to the induction motor; and  
the controller responds to user commands and detected conditions of the barrier for incrementally changing a speed of movement of the barrier by generating power control signals to control the motor control;  
wherein the motor control apparatus operates in synchronism with the frequency of the mains A.C. voltage for varying the effective percentage of line voltage and sub harmonics of the mains A.C. voltage applied to the motor.

Claim 2. (Original) A barrier movement operator in accordance with claim 1 wherein the motor control apparatus operates in synchronism with the frequency of the mains A.C. voltage for varying the effective frequency of the mains A.C. voltage applied to the motor.

Claim 3. (Original) A barrier movement operator in accordance with claim 1 wherein the power control signals of the controller are generated in synchronism with the mains A.C. frequency.

Claim 4. (Original) A barrier movement operator in accordance with claim 1 wherein the motor control apparatus comprises circuitry, responsive to the power control signals for varying the effective voltage of the mains A.C. voltage coupled to the motor.

Claim 5. (Original) A barrier movement operator in accordance with claim 4 wherein the power control signals are generated by the controller in synchronism with the frequency of the mains A.C. voltage.

Claim 6. (Original) A barrier movement operator in accordance with claim 1 the motor comprising a rotor for rotating to a first direction and a second direction.

Claim 7. (Original) A barrier movement operator in accordance with claim 6 comprising direction apparatus for energizing the motor to selectively rotate the rotor in the first or the second direction.

Claim 8. (Original) A barrier movement operator in accordance with claim 7 wherein the direction apparatus connects the motor control apparatus to the motor.

Claim 9. (Original) A barrier movement operator in accordance with claim 7 wherein the controller generates motor direction signals for the selective control of the direction apparatus.

Claim 10. (Original) A barrier movement operator in accordance with claim 1 wherein the mains A.C. operating voltage comprises a recurring sequence of half cycles of alternating polarity occurring at a frequency.

Claim 11. (Original) A barrier movement operator in accordance with claim 10 wherein the effective frequency of the mains A.C. is coupled to the motor for a portion of every Nth half cycle where N is an odd integer greater than 1.

Claim 12. (Original) A barrier movement operator in accordance with claim 11 wherein the power of mains A.C. coupled to the motor is increased by increasing the portion of every Nth half cycle from a predetermined minimum amount to a predetermined maximum amount.

Claim 13. (Original) A barrier movement operator in accordance with claim 11 wherein the effective voltage of the mains A.C. coupled to the motor is periodically increased by incrementally increasing the portion of every Nth half cycle.

Claim 14. (Original) A barrier movement operator in accordance with claim 13 wherein the incremental increasing continues until all half cycles are coupled to the motor.

Claim 15. (Original) A barrier movement operator in accordance with claim 12 where the barrier is moved between first and second positions and the predetermined maximum amount for increasing the portion of half cycles is greater when the barrier is moving toward the first position than when the barrier is moving toward the second position.

Claim 16. (Original) A barrier movement operator in accordance with claim 15 wherein the first position is an open position and the second position is a closed position.

Claim 17. (Original) A barrier movement operator in accordance with claim 6 comprising apparatus for sensing a rotational speed of the rotor and the controller responds to the sensed rotor speed to generate the power control signals.

Claim 18. (Currently amended) An A.C. induction motor control apparatus comprising:

- an A.C. induction motor;
- a source of mains A.C. operating voltage comprising a frequency;
- a motor control circuit connected to the mains voltage and the induction motor and responsive to power control signals from a controller for varying the effective frequency of the mains operating voltage coupled to the induction motor;
- and

the controller includes a program for incrementally changing a rotational speed of the induction motor by generating power control signals to control the motor control circuit;

wherein the motor control circuit operates in synchronism with the frequency of the mains A.C. voltage for varying the effective percentage of line voltage and sub harmonics of the mains A.C. voltage applied to the motor.

Claim 19. (Original) An A.C. induction motor control apparatus in accordance with claim 18 wherein the controller senses the A.C. mains voltage and operates in synchronism with the frequency of the mains A.C. voltage for varying the effective frequency of the mains A.C. voltage applied to the motor.

Claim 20. (Original) An A.C. induction motor control apparatus in accordance with claim 18 wherein the motor control circuitry comprises gating circuitry, responsive to the power control signals for varying the effective voltage of the mains A.C. coupled to the motor.

Claim 21. (Original) An A.C. induction motor control apparatus in accordance with claim 18 the motor comprising a rotor for rotating to a first direction and a second direction.

Claim 22. (Original) An A.C. induction motor control apparatus in accordance with claim 21 comprising direction apparatus for energizing the motor to selectively rotate the rotor in the first or the second direction.

Claim 23. (Original) An A.C. induction motor control apparatus in accordance with claim 22 wherein the direction apparatus connects the motor control apparatus to the motor.

Claim 24. (Original) An A.C. induction motor control apparatus in accordance with claim 22 wherein the controller generates motor direction signals for the selective control of the direction apparatus.

Claim 25. (Original) An A.C. induction motor control apparatus in accordance with claim 21 comprising apparatus for sensing a rotational speed of the rotor and the controller responds to the sensed rotor speed to generate the power control signals.

Claim 26. (Original) An A.C. induction motor control apparatus in accordance with claim 18 wherein the mains A.C. operating voltage comprises a recurring sequence of half cycles of alternating polarity occurring at a frequency.

Claim 27. (Original) An A.C. induction motor control apparatus in accordance with claim 26 wherein the effective frequency of the mains A.C. operating voltage is coupled to the motor for a portion of every Nth half cycle where N is an odd integer greater than 1.

Claim 28. (Original) An A.C. induction motor control apparatus in accordance with claim 27 wherein the power of mains A.C. operating voltage coupled to the motor is increased by increasing the portion of every Nth half cycle from a predetermined minimum amount to a predetermined maximum amount.

Claim 29. (Original) An A.C. induction motor control apparatus in accordance with claim 27 wherein the effective voltage of the mains A.C. coupled to the motor is periodically increased by incrementally increasing the portion of every Nth half cycle.

Claim 30. (Original) An A.C. induction motor control apparatus in accordance with claim 29 wherein the incremental increasing continues until all half cycles are coupled to the motor.

Claims 31-40. (Canceled)

Claim 41. (Original) An A.C. induction motor control apparatus comprising:  
an A.C. induction motor;  
a source of mains A.C. operating voltage comprising a frequency;  
a motor control circuit connected to the mains voltage and the induction motor and responsive to power control signals from a controller for varying the effective percentage of the mains voltage and sub-harmonics thereof coupled to the induction motor; and  
the controller includes a program for incrementally changing the speed of the barrier by generating power control signals to control the motor control circuit.

Claim 42. (Original) An A.C. induction motor control apparatus in accordance with claim 41 wherein the controller senses the A.C. mains voltage and operates in synchronism with the mains A.C. frequency for varying the effective percentage of the mains voltage and sub harmonics applied to the motor.

Claim 43. (Original) An A.C. induction motor control apparatus in accordance with claim 41 wherein the motor control circuitry comprises gating circuitry, responsive to the power control signals for varying the effective power of the mains A.C. voltage coupled to the motor.

Claim 44. (Original) An A.C. induction motor control apparatus in accordance with claim 41 wherein the mains A.C. operating voltage comprises a recurring sequence of half cycles of alternating polarity occurring at a frequency.

Claim 45. (Original) An A.C. induction motor control apparatus in accordance with claim 44 wherein the effective wave shape of the mains A.C. operating voltage is coupled to the motor for a portion of every Nth half cycle where N is an odd integer greater than 1.

Claim 46. (Original) An A.C. induction motor control apparatus in accordance with claim 45 wherein the power of mains A.C. operating voltage coupled to the motor is

Application No. 10/622,214  
Amendment Dated: July 25, 2005  
Reply to Office Action of May 5, 2005

increased by increasing the portion of every Nth half cycle from a predetermined minimum amount to a predetermined maximum amount.